

GeoGebra - Lesson 6

Using GeoGebra - Vectors Grids, Axes and the Drawing Pad

Author: Linda Fahlberg-Stojanovska


With thanks to Robert Fant and his students

Mathcast produced with: Camtasia Studio

www.mathcasts.org


math247.jot.com

Key Concepts from GeoGebra

1. View the coordinate axes: View -> Axes.
2. Snap-to-grid points: Options -> *Point Capturing* -> On (Grid).
3. Vectors .
4. Changing the axes: Options -> *Drawing Pad*.
5. Matrix notation with Latex.
6. GeoGebra function: x(A) and Latex.

Key Concepts from Mathematics

1. A *position vector* or *radius vector* is a vector that starts at the origin O so it is determined by the coordinates of its endpoint.
For example: Let \vec{u} be a position vector with endpoint A(3, 4).
Then $\vec{u} = \overrightarrow{OA}$ and we can write $\vec{u} = 3\vec{i} + 4\vec{j}$ or in matrix form as: $\vec{u} = \begin{pmatrix} 3 \\ 4 \end{pmatrix}$.
2. Let \vec{u} and \vec{v} be position vectors. We want to find the *resultant* or *sum vector* $\vec{w} = \vec{u} + \vec{v}$. It will also be a position vector:
For example, in our ggb file: $\vec{w} = \vec{u} + \vec{v} = \begin{pmatrix} 3 \\ 4 \end{pmatrix} + \begin{pmatrix} 7 \\ 3 \end{pmatrix} = \begin{pmatrix} 3+7 \\ 4+3 \end{pmatrix} = \begin{pmatrix} 10 \\ 7 \end{pmatrix}$.
3. To draw the resultant \vec{w} , we first draw the vectors \vec{u} and \vec{v} . We then draw the corresponding parallelogram using the techniques of lesson 1. The diagonal of this parallelogram is the resultant.



Script-o-matic

1. Turn on the axes: click on View -> Axes




The unit will be 1 on both the x and y axes.

Turn on the grid: click on View -> Grid.

2. Turn on snap-to-grid: click on Options -> Point Capturing -> On (Grid)



3. Draw 1 points at (0,0) -


- a. Click on  and then click at (0,0) - point A will be drawn. Notice that it is fixed (a dependent object)!
- b. Right-click and rename it O (the letter O - not zero).

4. Draw 2 points in the first quadrant - the points A and B.

Notice that only points with whole number coefficients can be drawn. Try moving them you will see that they can only 'land' on grid points.

5. Draw vector


- a. Select vector tool:



- b. Then draw position vectors \vec{u} and \vec{v} by clicking on O and then on A and again on O and then on B.

6. Draw parallel lines 


- a. Select the parallel line tool:



- b. Then click on \vec{u} (\overline{OA}) and then on B to get the line parallel to \vec{u} passing through B.
- c. Do the same for \vec{v} (\overline{OB}) and A.

7. Draw intersecting point 


- a. Select the intersecting point tool:



- b. Click on one of the parallels and then on the other.
- c. A new point will appear - it will be named C.

8. Hide objects


- a. Double-click on one of the parallel lines (make sure the move tool is selected before clicking). The properties box will open. Deselect 'Show object' - the line will be hidden.
- b. Do the same for the other parallel line.

9. Select the line segment tool  and then draw line segments from A to C and from B to C.

10. Draw the resultant \vec{w} vector

- a. Select vector tool: 
- b. Then draw position vectors \vec{w} by clicking on O and then on C.

11. Move/Change labels

- a. Select the move tool: 
- b. Right-click on the letter A and select properties. Click on the arrow in the Show label and select Name & Value



- c. Do the same for B and C.
- d. Then click and drag each letter A,B,C 'outside' the parallelogram.


12. Change the colors/line styles of the \overline{AC} and \overline{BC} and of \vec{w}

- a. Right-click on the object and select properties.
- b. Change color by clicking on the blue rectangle and
- c. change line style by clicking on the arrow to see the choices.

13. Resize your window

- a. Click and drag any side of your window. Notice that it will always cut the axes from the bottom and from the right.
- b. Click and drag any corner to get say: $\sim 700 \times 630$ (The reason for these dimension is in lesson 7). Probably you will have about -7 to 15 on the x-axis and -6 to 10 on the y-axis.
- c. Click Options -> *Drawing Pad*
- d. Type -2 for x-min and 30 for x-max (see figure below - red arrows) and then click in the left box of the xAxis: yAxis box (blue arrow).

This relationship will change.



- e. Type 1 in this box
- f. Click on yAxis tab and then enter -2 in the ymin box (green arrows).
- g. Again, click in the left box of the xAxis: yAxis box (blue arrow) and enter 1. (You may have to go back and forth a couple of times to get -2,30 and -2, 12,7 and 1:1.)
- h. Click on Apply

14. Finally, let's write the vector-matrix notation

- a. To get $\vec{u} = \begin{pmatrix} a_x \\ a_y \end{pmatrix}$ (a_x and a_y will be the actual coordinates of A),

click on ABC, select Latex formula and copy in the following text:

```
"\vec{ u } = \left( \begin{array}{c} " + (x(A)) + " \\ " + (y(A)) + " \\ \end{array} \right) "
```

Notice that $x(A)$ is the GeoGebra formula for the x-coordinate of the point A! It is written $x(A)$ in a Latex formula.

(The first time I did this I thought you had to define a variable in GeoGebra using the Input field, but then I saw you can just put the formula into another set of parentheses in the Latex formula.)

- b. Repeat for \vec{v} with B in place of A.
- c. Finally, define a text \vec{w} with the following text:

```
"\vec{ w } = \vec{ u } + \vec{ v } = \left( \begin{array}{c} " + (x(C)) + " \\ " + (y(C)) + " \\ \end{array} \right) "
```

15. Finally, label the vectors u, v and w.

I first drew line segments on top of the vectors, then found their midpoints (no midpoints of vectors possible...). Then I drew textboxes using latex - " \vec{u} ", 'connected' each textbox to the midpoints and then hid the segments and the midpoints.

16. You are done - save your file (we will need it for the next lesson).